Post Office Electrical Engineers' Journal

Volume 46, April 1953—January 1954

INDEX

A

PAGE NO.

A.C. No. 5X, Signalling System 7
Arnold, G. F., and S. W. Jennings. A New Unidiameter Joint 180
Associate Section Notes 47, 99, 154, 211

B

Barnard, A. J. The Motor Uniselector-type Group Selector for Trunk Switching 108
Barnett, H. E. The Location and Verification of Pairs in Cables 144
Beaumont, E. B. M., B. H. Moore, and S. M. Rousell. The Provision of Communications for the Coronation of Her Majesty Queen Elizabeth II 71
Belfast, Television Service to 130
Benson, D. L., and D. H. Vogan. A Method of Testing Cold-cathode Tubes.. 196
Birch, S., and W. E. Tobin. Satellite Exchange Working in Non-Director Multi-Exchange Systems 1
Birmingham-Manchester-Holme Moss Television-Cable System, The
Part 1.—Transmission Requirements, General Design Considerations and Cable Characteristics 118
Part 2.—High Frequency Line System and Overall Performance 171
Book Reviews .. 6, 12, 18, 36, 38, 49, 58, 64, 70, 78, 82, 85, 88, 111, 133, 139, 165, 179, 190, 206, 210, 215
Brookes, D., and M. B. Williams. A New Cable-Fault Indicator 13

C

Cable, The Transatlantic Telephone 199
Cable-Fault Indicator, A New 13
Cables, The Location and Verification of Pairs in 144
Call Queueing Scheme for Sleeve-Control Exchanges, A Partial 29
Carrier Cable, The Effect of Temperature on the Transmission Characteristics of 65
C.C.I.R., London, 1953, Seventh Plenary Assembly of the .. 202
C.C.I.T., Arnhem 1953, Seventh Plenary Meeting of the .. 121
Cold-cathode Tubes, A Method of Testing 196
Collings, R., and F. G. Jackson. The Use of Dry Cells in Subscribers' Premises 37
Collins, J. H., and C. E. Easterling. The Teleprinter No. 11.. 53
Coronation of Her Majesty Queen Elizabeth II, The Provision of Communications for the.. 71
Cunnington, J. L., and G. W. Mackie. The Packaging of Telephone Exchange Equipment for Long-Term Storage in Temperate Climates 30

D

Deterioration of Valve Performance due to Growth of Interface Resistance 198
Donovan, J. G., and J. S. Lanfear. A New Method of Direct Underground Distribution 183
Dry Cells in Subscriber's Premises, The Use of 37

E

Easterling, C. E., and J. H. Collins. The Teleprinter No. 11.. 53
Edwards, W. T., J. W. Robinson, and H. F. Hourigan. Poor Solderability of Tags, and Dry Joints 134
Effect of Temperature on the Transmission Characteristics of Carrier Cable, The 65
Engineering Training School, The New Midland Region .. 115

F

Faulkner, H. 200

G

Generating Plant for the Manchester-Edinburgh Television Radio-Relay Link, Standby 89
Genna, W. N., and W. R. H. Lowry. Single-Sideband Multi-Channel operation of Short-Wave Point-to-Point Radio Links. (Part 3.) 19
Gibson, W. T. Thermistor Production 34
Goldsmith, F. H., and J. A. Widdicks. A Mains-operated Psophometer.. 112

H

PAGE NO.

Halsey, R. J. The Rationalised M.K.S. System of Electrical Units 187
Halsey, R. J., and H. Williams. The Birmingham-Manchester-Holme Moss Television-Cable System 118, 171
Hill, R. E. Telegraph Power Plant using a D.C. Astatic Relay for Voltage Control 25
Holmes, M. F., and G. H. Metson. Deterioration of Valve Performance due to Growth of Interface Resistance .. 198
Hourigan, H. F., J. W. Robinson, and W. T. Edwards. Poor Solderability of Tags, and Dry Joints 134
Howard, R. F. The Impact of Recent Signalling Developments on Out-of-Area Exchange Service 177

I

Impact of Recent Signalling Developments on Out-of-Area Exchange Service, The 177
Induced Voltage Tests carried out in Conjunction with the London Electricity Board 92
Institution of Post Office Electrical Engineers 39, 94, 149, 204
Interface Resistance, Deterioration of Valve Performance due to Growth of 198
Inter-Office Telephone System for the Postmaster-General.. 33

J

Jackson, F. G., and R. Collings. The Use of Dry Cells in Subscribers' Premises 37
Jennings, S. W., and G. F. Arnold. A New Unidiameter Joint 180
Jones, C. E. P., and I. F. Macdiarmid. The Effect of Temperature on the Transmission Characteristics of Carrier Cable 65

K

Kilvington, T. Television Service to Belfast 130

L

Lanfear, J. S., and J. G. Donovan. A New Method of Direct Underground Distribution 183
Location and Verification of Pairs in Cables, The 144
Lowry, W. R. H., and W. N. Genna. Single-Sideband Multi-Channel operation of Short-Wave Point-to-Point Radio Links. (Part 3.) 19

M

Macdiarmid, I. F., and C. E. P. Jones. The Effect of Temperature on the Transmission Characteristics of Carrier Cable 65
Mackie, G. W., and J. L. Cunnington. The Packaging of Telephone Exchange Equipment for Long-Term Storage in Temperate Climates 30
Magnetic Materials for Telecommunications, Soft 128
Mains-operated Psophometer, A 112
Manchester-Edinburgh Television Radio-Relay Link, Standby Generating Plant for the 89
Marshman, R. C. Standby Generating Plant for the Manchester-Edinburgh Television Radio-Relay Link .. 89
May, C. A. The Post Office Standard Motor Uniselector .. 79
Method of Testing Cold-cathode Tubes, A 196
Metson, G. H., and M. F. Holmes. Deterioration of Valve Performance due to Growth of Interface Resistance .. 198
Midland Region Engineering Training School, The 115
M.K.S. System of Electrical Units, The Rationalised .. 187
Moore, B. H., S. M. Rousell, and E. B. M. Beaumont. The Provision of Communications for the Coronation of Her Majesty Queen Elizabeth II 71
Motor Uniselector, The Post Office Standard 79
Motor Uniselector-type Group Selector for Trunk Switching, The 108
Multi-Exchange Systems, Satellite Working in Non-Director 1
Mumford, A. H. 201

N

New Cable-Fault Indicator, A 13
New Method of Direct Underground Distribution, A .. 183
New Midland Region Engineering Training School, The .. 115
New 10-cwt Utility Vehicle, A 86
New Unidiameter Joint, A 180

Post Office Electrical Engineers' Journal

Volume 46, April 1953—January 1954

INDEX

A

PAGE NO.

A.C. No. 5X, Signalling System 7
Arnold, G. F., and S. W. Jennings. A New Unidiameter Joint 180
Associate Section Notes 47, 99, 154, 211

B

Barnard, A. J. The Motor Uniselector-type Group Selector for Trunk Switching 108
Barnett, H. E. The Location and Verification of Pairs in Cables 144
Beaumont, E. B. M., B. H. Moore, and S. M. Rousell. The Provision of Communications for the Coronation of Her Majesty Queen Elizabeth II 71
Belfast, Television Service to 130
Benson, D. L., and D. H. Vogan. A Method of Testing Cold-cathode Tubes.. 196
Birch, S., and W. E. Tobin. Satellite Exchange Working in Non-Director Multi-Exchange Systems 1
Birmingham-Manchester-Holme Moss Television-Cable System, The
Part 1.—Transmission Requirements, General Design Considerations and Cable Characteristics 118
Part 2.—High Frequency Line System and Overall Performance 171
Book Reviews .. 6, 12, 18, 36, 38, 49, 58, 64, 70, 78, 82, 85, 88, 111, 133, 139, 165, 179, 190, 206, 210, 215
Brookes, D., and M. B. Williams. A New Cable-Fault Indicator 13

C

Cable, The Transatlantic Telephone 199
Cable-Fault Indicator, A New 13
Cables, The Location and Verification of Pairs in 144
Call Queueing Scheme for Sleeve-Control Exchanges, A Partial 29
Carrier Cable, The Effect of Temperature on the Transmission Characteristics of 65
C.C.I.R., London, 1953, Seventh Plenary Assembly of the .. 202
C.C.I.T., Arnhem 1953, Seventh Plenary Meeting of the .. 121
Cold-cathode Tubes, A Method of Testing 196
Collings, R., and F. G. Jackson. The Use of Dry Cells in Subscribers' Premises 37
Collins, J. H., and C. E. Easterling. The Teleprinter No. 11.. 53
Coronation of Her Majesty Queen Elizabeth II, The Provision of Communications for the.. 71
Cunnington, J. L., and G. W. Mackie. The Packaging of Telephone Exchange Equipment for Long-Term Storage in Temperate Climates 30

D

Deterioration of Valve Performance due to Growth of Interface Resistance 198
Donovan, J. G., and J. S. Lanfear. A New Method of Direct Underground Distribution 183
Dry Cells in Subscriber's Premises, The Use of 37

E

Easterling, C. E., and J. H. Collins. The Teleprinter No. 11.. 53
Edwards, W. T., J. W. Robinson, and H. F. Hourigan. Poor Solderability of Tags, and Dry Joints 134
Effect of Temperature on the Transmission Characteristics of Carrier Cable, The 65
Engineering Training School, The New Midland Region .. 115

F

Faulkner, H. 200

G

Generating Plant for the Manchester-Edinburgh Television Radio-Relay Link, Standby 89
Genna, W. N., and W. R. H. Lowry. Single-Sideband Multi-Channel operation of Short-Wave Point-to-Point Radio Links. (Part 3.) 19
Gibson, W. T. Thermistor Production 34
Goldsmith, F. H., and J. A. Widdicks. A Mains-operated Psophometer.. 112

H

PAGE NO.

Halsey, R. J. The Rationalised M.K.S. System of Electrical Units 187
Halsey, R. J., and H. Williams. The Birmingham-Manchester-Holme Moss Television-Cable System 118, 171
Hill, R. E. Telegraph Power Plant using a D.C. Astatic Relay for Voltage Control 25
Holmes, M. F., and G. H. Metson. Deterioration of Valve Performance due to Growth of Interface Resistance .. 198
Hourigan, H. F., J. W. Robinson, and W. T. Edwards. Poor Solderability of Tags, and Dry Joints 134
Howard, R. F. The Impact of Recent Signalling Developments on Out-of-Area Exchange Service 177

I

Impact of Recent Signalling Developments on Out-of-Area Exchange Service, The 177
Induced Voltage Tests carried out in Conjunction with the London Electricity Board 92
Institution of Post Office Electrical Engineers 39, 94, 149, 204
Interface Resistance, Deterioration of Valve Performance due to Growth of 198
Inter-Office Telephone System for the Postmaster-General.. 33

J

Jackson, F. G., and R. Collings. The Use of Dry Cells in Subscribers' Premises 37
Jennings, S. W., and G. F. Arnold. A New Unidiameter Joint 180
Jones, C. E. P., and I. F. Macdiarmid. The Effect of Temperature on the Transmission Characteristics of Carrier Cable 65

K

Kilvington, T. Television Service to Belfast 130

L

Lanfear, J. S., and J. G. Donovan. A New Method of Direct Underground Distribution 183
Location and Verification of Pairs in Cables, The 144
Lowry, W. R. H., and W. N. Genna. Single-Sideband Multi-Channel operation of Short-Wave Point-to-Point Radio Links. (Part 3.) 19

M

Macdiarmid, I. F., and C. E. P. Jones. The Effect of Temperature on the Transmission Characteristics of Carrier Cable 65
Mackie, G. W., and J. L. Cunnington. The Packaging of Telephone Exchange Equipment for Long-Term Storage in Temperate Climates 30
Magnetic Materials for Telecommunications, Soft 128
Mains-operated Psophometer, A 112
Manchester-Edinburgh Television Radio-Relay Link, Standby Generating Plant for the 89
Marshman, R. C. Standby Generating Plant for the Manchester-Edinburgh Television Radio-Relay Link .. 89
May, C. A. The Post Office Standard Motor Uniselector .. 79
Method of Testing Cold-cathode Tubes, A 196
Metson, G. H., and M. F. Holmes. Deterioration of Valve Performance due to Growth of Interface Resistance .. 198
Midland Region Engineering Training School, The 115
M.K.S. System of Electrical Units, The Rationalised .. 187
Moore, B. H., S. M. Rousell, and E. B. M. Beaumont. The Provision of Communications for the Coronation of Her Majesty Queen Elizabeth II 71
Motor Uniselector, The Post Office Standard 79
Motor Uniselector-type Group Selector for Trunk Switching, The 108
Multi-Exchange Systems, Satellite Working in Non-Director 1
Mumford, A. H. 201

N

New Cable-Fault Indicator, A 13
New Method of Direct Underground Distribution, A .. 183
New Midland Region Engineering Training School, The .. 115
New 10-cwt Utility Vehicle, A 86
New Unidiameter Joint, A 180

N *(continued)* PAGE NO.

Newson, F. W., and H. E. Sturgess. Single-Sideband Multi-Channel operation of Short-Wave Point-to-Point Radio Links. (Parts 4(*a*) and 4(*b*)) 140, 191
Notes and Comments 39, 94, 149, 205
Notes, Associate Section 47, 99, 154, 211
Notes, Regional 40, 96, 151, 207

O

Outline of the British Television System, An
Part 1.—Generating the Picture Waveform 59
Part 2.—Transmitting the Picture Waveform .. 123
Part 3.—Receiving the Picture Waveform 166
Out-of-Area Exchange Service, The Impact of Recent Signalling Developments on 177

P

P.A.B.X.s, Post Office Standard 159
Packaging of Telephone Exchange Equipment for Long-Term Storage in Temperate Climates, The 30
Pairs in Cables, The Location and Verification of 144
Partial Call Queueing Scheme for Sleeve Control Exchanges, A 29
Poor Solderability of Tags, and Dry Joints 134
Post Office Standard Motor Uniselector, The 79
Post Office Standard P.A.B.X.s:
Part 1.—General Review of New Types and Details of P.A.B.X. No. 1 159
Postmaster-General, Inter-Office Telephone System for the .. 33
Production of Very Thin Quartz Oscillator Plates, The .. 105
Provision of Communications for the Coronation of Her Majesty Queen Elizabeth II, The 71
Psophometer, A Mains-operated 112

Q

Quartz Oscillator Plates, The Production of Very Thin .. 105

R

Radio Links, Single-Sideband Multi-Channel operation of Short-Wave Point-to-Point 19, 140, 191
Rationalised M.K.S. System of Electrical Units, The .. 187
Regional Notes 40, 96, 151, 207
Robinson, J. W., H. F. Hourigan, and W. T. Edwards. Poor Solderability of Tags, and Dry Joints 134
Roche, J. J. Post Office Standard P.A.B.X.s 159
Rousell, S. M., E. B. M. Beaumont, and B. H. Moore. The Provision of Communications for the Coronation of Her Majesty Queen Elizabeth II 71

S

Satellite Exchange Working in Non-Director Multi-Exchange Systems 1
Seventh Plenary Assembly of the C.C.I.R., London, 1953 .. 202
Seventh Plenary Meeting of the C.C.I.T., Arnhem 1953 .. 121
Signalling System A.C. No. 5X 7
Single-Sideband Multi-Channel Operation of Short-Wave Point-to-Point Radio Links:
Part 3.—An Independent-Sideband Short-Wave Radio Receiver 19
Part 4(*a*).—An Independent-Sideband High-Power Short-Wave Transmitter.—The Radio and Power Units 140

S *(continued)* PAGE NO.

Part 4(*b*).—An Independent-Sideband High-Power Short-Wave Transmitter.—Design and Performance 191
Slater, G. H. A New 10-cwt Utility Vehicle 86
Soft Magnetic Materials for Telecommunications 128
Solderability of Tags, and Dry Joints, Poor 134
Staff Changes 50, 102, 156, 213
Standby Generating Plant for the Manchester-Edinburgh Television Radio-Relay Link 89
Storage in Temperate Climates, The Packaging of Telephone Exchange Equipment for Long-Term 30
Sturgess, H. E., and F. W. Newson. Single-Sideband Multi-Channel operation of Short-Wave Point-to-Point Radio Links. (Parts 4(*a*) and 4(*b*)) 140, 191
Subscribers' Premises, The Use of Dry Cells for 37

T

Telegraph Power Plant using a D.C. Astatic Relay for Voltage Control 25
Telephone System for the Postmaster General, Inter-Office .. 33
Teleprinter No. 11, The 53
Television-Cable System, The Birmingham-Manchester-Holme Moss 118, 171
Television Outside Broadcast Service, A Vehicle for 93
Television Service to Belfast 130
Television System, An Outline of the British 59, 123, 166
Thermistor Production 34
Thwaites, J. E. The Production of Very Thin Quartz Oscillator Plates 105
Tobin, W. E., and S. Birch. Satellite Exchange Working in Non-Director Multi-Exchange Systems 1
Toft, G. Signalling System A.C. No. 5X 7
Transatlantic Telephone Cable, The 199
Trunk Switching, The Motor Uniselector-type Group Selector for 108

U

Underground Distribution, A New Method of Direct .. 183
Unidiameter Joint, A New 180
Use of Dry Cells in Subscribers' Premises, The 37
Utility Vehicle, A New 10-cwt 86

V

Vehicle, A New 10-cwt Utility 86
Vehicle for Television Outside Broadcast Service, A 93
Vogan, D. H., and D. L. Benson. A Method of Testing Cold-cathode Tubes 196
Voltage Control, Telegraph Power Plant using a D.C. Astatic Relay for 25

W

Widdicks, J. A., and F. H. Goldsmith. A Mains-operated Psophometer 112
Williams, H., and R. J. Halsey. The Birmingham-Manchester-Holme Moss Television-Cable System 118, 171
Williams, M. B., and D. Brookes. A New Cable-Fault Indicator 13
Wray, D. An Outline of the British Television System 59, 123, 166